

COUNCIL REGULATION (EU) 2020/875**of 15 June 2020****amending Regulation (EU) No 1388/2013 quotas of the Union for certain agricultural and industrial products**

THE COUNCIL OF THE EUROPEAN UNION,

Having regard to the Treaty on the Functioning of the European Union, and in particular Article 31 thereof,

Having regard to the proposal from the European Commission,

Whereas:

- (1) In order to ensure a sufficient and uninterrupted supply of certain agricultural and industrial products which are produced in insufficient quantities in the Union, and thereby avoid any disturbances in the market for those products, autonomous tariff quotas were opened by Council Regulation (EU) No 1388/2013 ⁽¹⁾. Within those tariff quotas, products can be imported into the Union at reduced or zero duty rates.
- (2) As it is in the Union's interest to ensure an adequate supply of certain industrial products, and having regard to the fact that identical, equivalent or substitute products are not produced in sufficient quantities within the Union, it is necessary to open new tariff quotas for order numbers 09.2580, 09.2581 and 09.2583 at zero duty rates for appropriate quantities of those products.
- (3) As it is in the Union's interest to ensure an adequate supply of certain industrial products, the amounts for the tariff quotas for order numbers 09.2634 and 09.2668 should be increased.
- (4) As the scope of the tariff quota for order number 09.2652 has become inadequate to fulfil the needs of economic operators in the Union, the description of the product covered by that tariff quota should be amended.
- (5) For the tariff quota for order number 09.2588, the quota period should be extended until 31 December 2020, because that tariff quota was opened for a period of six months only but it is still in the Union's interest to maintain it.
- (6) The substances Dimethyl Sulphate (CAS RN 77-78-1) with a purity of at least 99 %, 2-Methylaniline (CAS RN 95-53-4) with a purity by weight of at least 99 % and 4,4'-Methanediyl dianiline (CAS RN 101-77-9) with a purity by weight of at least 97 % are included on the candidate list referred to in Article 59 of Regulation (EC) No 1907/2006 of the European Parliament and of the Council ⁽²⁾ and the substance with CAS RN 101-77-9 is included in Annex XIV to that Regulation. For that reason, existing tariff quotas for those substances should be progressively closed and any newly opened tariff quotas should apply for a limited period. Therefore, the tariff quotas with order numbers 09.2648 and 09.2730 should apply until 31 December 2020 with a conventional rate of duty at 2 %. In addition, the tariff quota with order number 09.2590 should be closed and a new tariff quota with order number 09.2582 should be opened until 31 December 2020 with a conventional rate of duty at 2 %.
- (7) Taking into account the amendments to be made, and for the sake of clarity, the Annex to Regulation (EU) No 1388/2013 should be replaced.
- (8) In order to avoid any interruption of the application of the tariff quota scheme, and to comply with the guidelines in the communication from the Commission of 13 December 2011 concerning autonomous tariff suspensions and quotas, the changes provided for in this Regulation regarding the tariff quotas for the products concerned should apply from 1 July 2020. This Regulation should therefore enter into force as a matter of urgency,

⁽¹⁾ Council Regulation (EU) No 1388/2013 of 17 December 2013 opening and providing for the management of autonomous tariff quotas of the Union for certain agricultural and industrial products, and repealing Regulation (EU) No 7/2010 (OJ L 354, 28.12.2013, p. 319).

⁽²⁾ Regulation (EC) No 1907/2006 of the European Parliament and of the Council of 18 December 2006 concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals (REACH), establishing a European Chemicals Agency, amending Directive 1999/45/EC and repealing Council Regulation (EEC) No 793/93 and Commission Regulation (EC) No 1488/94 as well as Council Directive 76/769/EEC and Commission Directives 91/155/EEC, 93/67/EEC, 93/105/EC and 2000/21/EC (OJ L 396, 30.12.2006, p. 1).

HAS ADOPTED THIS REGULATION:

Article 1

The Annex to Regulation (EU) No 1388/2013 is replaced by the text appearing in the Annex to this Regulation.

Article 2

This Regulation shall enter into force on the day following that of its publication in the *Official Journal of the European Union*.

It shall apply from 1 July 2020.

This Regulation shall be binding in its entirety and directly applicable in all Member States.

Done at Brussels, 15 June 2020.

For the Council
The President
A. METELKO-ZGOMBIĆ

ANNEX

'ANNEX

| Order number | CN code | TARIC | Description | Quota period | Quota volume | Quota duty (%) |
|--------------|------------------------------------------------------------------------------------------------------------------------------------------------------------------------|----------------------------------------------------------|------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|--------------|----------------|--------------------|
| 09.2637 | ex 0710 40 00 ex 2005 80 00 | 20 30 | Corn cobs (<i>Zea mays</i> var. <i>saccharata</i>) whether or not cut, with a diameter of at least 10 mm but not more than 20 mm, for use in the manufacture of products of the food industry for treatment other than simple repacking ⁽¹⁾ ⁽²⁾ ⁽³⁾ | 1.1.-31.12. | 550 tonnes | 0 % ⁽³⁾ |
| 09.2849 | ex 0710 80 69 | 10 | Mushrooms of the species <i>Auricularia polytricha</i> (uncooked or cooked by steaming or boiling), frozen, for the manufacture of prepared meals ⁽¹⁾ ⁽²⁾ | 1.1.-31.12. | 700 tonnes | 0 % |
| 09.2664 | ex 2008 60 39 | 30 | Sweet cherries containing added spirit, with a sugar content of not more than 9 % by weight, of a diameter of not more than 19,9 mm, with stones, for use in chocolate products ⁽²⁾ | 1.1.-31.12. | 1 000 tonnes | 10 % |
| 09.2740 | ex 2309 90 31 | 87 | Soya bean protein concentrate containing by weight: — 60 % (\pm 10 %) of crude protein, — 5 % (\pm 3 %) of crude fibre, — 5 % (\pm 3 %) of crude ash, and — at least 3 % but not more than 6,9 % of starch, for use in the manufacture of animal feed products ⁽²⁾ | 1.1.-31.12. | 30 000 tonnes | 0 % |
| 09.2913 | ex 2401 10 35 ex 2401 10 70 ex 2401 10 95 ex 2401 10 95 ex 2401 10 95 ex 2401 20 35 ex 2401 20 70 ex 2401 20 95 ex 2401 20 95 ex 2401 20 95 | 91 10 11 21 91 91 10 11 21 91 | Natural unmanufactured tobacco, whether or not cut in regular size, with a custom value of at least EUR 450 per 100 kg net weight, for use as binder or wrapper for the manufacture of goods falling within subheading 2402 10 00 ⁽²⁾ | 1.1.-31.12. | 6 000 tonnes | 0 % |
| 09.2587 | ex 2710 19 81 ex 2710 19 99 | 20 40 | Catalytically hydroisomerised and dewaxed base oil of hydrogenated, highly isoparaffinic hydrocarbons, containing: — at least 90 % by weight of saturates, and — not more than 0,03 % by weight of sulphur, and with — a viscosity index of at least 80 but less than 120, and — a kinematic viscosity of at least 5,0 cSt at 100 °C but not more than 13,0 cSt at 100 °C | 1.7.-31.12. | 200 000 tonnes | 0 % |

| Order number | CN code | TARIC | Description | Quota period | Quota volume | Quota duty (%) |
|--------------|---------------|-------|---------------------------------------------------------------------------------------------------------------------------------------------------------|--------------|------------------|----------------|
| 09.2828 | 2712 20 90 | | Paraffin wax containing by weight less than 0,75 % of oil | 1.4.-31.10. | 60 000 tonnes | 0 % |
| 09.2600 | ex 2712 90 39 | 10 | Slack wax (CAS RN 64742-61-6) | 1.1.-31.12. | 100 000 tonnes | 0 % |
| 09.2928 | ex 2811 22 00 | 40 | Silica filler in the form of granules, with a purity by weight of at least 97 % of silicon dioxide | 1.1.-31.12. | 1 700 tonnes | 0 % |
| 09.2806 | ex 2825 90 40 | 30 | Tungsten trioxide, including blue tungsten oxide (CAS RN 1314-35-8 or CAS RN 39318-18-8) | 1.1.-31.12. | 12 000 tonnes | 0 % |
| 09.2872 | ex 2833 29 80 | 40 | Caesium sulphate (CAS RN 10294-54-9) in solid form or as aqueous solution containing by weight at least 48 % but not more than 52 % of caesium sulphate | 1.1.-31.12. | 200 tonnes | 0 % |
| 09.2837 | ex 2903 79 30 | 20 | Bromochloromethane (CAS RN 74-97-5) | 1.1.-31.12. | 600 tonnes | 0 % |
| 09.2933 | ex 2903 99 80 | 30 | 1,3-Dichlorobenzene (CAS RN 541-73-1) | 1.1.-31.12. | 2 600 tonnes | 0 % |
| 09.2700 | ex 2905 12 00 | 10 | Propan-1-ol (propyl alcohol) (CAS RN 71-23-8) | 1.1.-31.12. | 15 000 tonnes | 0 % |
| 09.2830 | ex 2906 19 00 | 40 | Cyclopropylmethanol (CAS RN 2516-33-8) | 1.1.-31.12. | 20 tonnes | 0 % |
| 09.2851 | ex 2907 12 00 | 10 | o-Cresol (CAS RN 95-48-7) with a purity by weight of at least 98,5 % | 1.1.-31.12. | 20 000 tonnes | 0 % |
| 09.2704 | ex 2909 49 80 | 20 | 2,2,2',2'-Tetrakis(hydroxymethyl)-3,3'-oxydipropan-1-ol (CAS RN 126-58-9) | 1.1.-31.12. | 500 tonnes | 0 % |
| 09.2624 | 2912 42 00 | | Ethylvanillin (3-ethoxy-4-hydroxybenzaldehyde) (CAS RN 121-32-4) | 1.1.-31.12. | 1 950 tonnes | 0 % |
| 09.2683 | ex 2914 19 90 | 50 | Calcium acetylacetonate (CAS RN 19372-44-2) for use in the manufacture of stabilisator systems in tablet form (²) | 1.1.-31.12. | 200 tonnes | 0 % |
| 09.2852 | ex 2914 29 00 | 60 | Cyclopropyl methyl ketone (CAS RN 765-43-5) | 1.1.-31.12. | 300 tonnes | 0 % |
| 09.2638 | ex 2915 21 00 | 10 | Acetic acid (CAS RN 64-19-7) of a purity by weight of at least 99 % | 1.1.-31.12. | 1 000 000 tonnes | 0 % |
| 09.2972 | 2915 24 00 | | Acetic anhydride (CAS RN 108-24-7) | 1.1.-31.12. | 50 000 tonnes | 0 % |
| 09.2679 | 2915 32 00 | | Vinyl acetate (CAS RN 108-05-4) | 1.1.-31.12. | 400 000 tonnes | 0 % |
| 09.2728 | ex 2915 90 70 | 85 | Ethyl trifluoroacetate (CAS RN 383-63-1) | 1.1.-31.12. | 400 tonnes | 0 % |
| 09.2665 | ex 2916 19 95 | 30 | Potassium (E,E)-hexa-2,4-dienoate (CAS RN 24634-61-5) | 1.1.-31.12. | 8 250 tonnes | 0 % |
| 09.2684 | ex 2916 39 90 | 28 | 2,5-Dimethylphenylacetyl chloride (CAS RN 55312-97-5) | 1.1.-31.12. | 400 tonnes | 0 % |
| 09.2599 | ex 2917 11 00 | 40 | Diethyl oxalate (CAS RN 95-92-1) | 1.1.-31.12. | 500 tonnes | 0 % |
| 09.2769 | ex 2917 13 90 | 10 | Dimethyl sebacate (CAS RN 106-79-6) | 1.1.-31.12. | 1 000 tonnes | 0 % |
| 09.2634 | ex 2917 19 80 | 40 | Dodecanedioic acid (CAS RN 693-23-2) with a purity by weight of more than 98,5 % | 1.7.-31.12. | 4 000 tonnes | 0 % |

| Order number | CN code | TARIC | Description | Quota period | Quota volume | Quota duty (%) |
|--------------|---------------|-------|---------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|--------------|----------------|----------------|
| 09.2808 | ex 2918 22 00 | 10 | O-Acetylsalicylic acid (CAS RN 50-78-2) | 1.1.-31.12. | 120 tonnes | 0 % |
| 09.2646 | ex 2918 29 00 | 75 | Octadecyl 3-(3,5-di-tert-butyl-4-hydroxyphenyl)propionate (CAS RN 2082-79-3) with: — a sieve passing fraction at a mesh width of 500 µm of more than 99 % by weight, and — a melting point of at least 49 °C but not more than 54 °C, for use in the manufacture of PVC processing stabilizer-one packs based on powder mixtures (powders or press granulates) (2) | 1.1.-31.12. | 380 tonnes | 0 % |
| 09.2647 | ex 2918 29 00 | 80 | Pentaerythritol tetrakis(3-(3,5-di-tert-butyl-4-hydroxyphenyl)propionate) (CAS RN 6683-19-8) with: — a sieve passing fraction at a mesh width of 250 µm of more than 75 % by weight and at a mesh width of 500 µm of more than 99 % by weight, and — a melting point of at least 110 °C but not more than 125 °C, for use in the manufacture of PVC processing stabilizer-one packs based on powder mixtures (powders or press granulates) (2) | 1.1.-31.12. | 140 tonnes | 0 % |
| 09.2975 | ex 2918 30 00 | 10 | Benzophenone-3,3',4,4'-tetracarboxylic dianhydride (CAS RN 2421-28-5) | 1.1.-31.12. | 1 000 tonnes | 0 % |
| 09.2688 | ex 2920 29 00 | 70 | Tris (2,4-di-tert-butylphenyl)phosphite (CAS RN 31570-04-4) | 1.1.-31.12. | 6 000 tonnes | 0 % |
| 09.2648 | ex 2920 90 10 | 75 | Dimethyl Sulphate (CAS RN 77-78-1) with a purity of at least 99 % | 1.7.-31.12. | 9 000 tonnes | 2 % |
| 09.2598 | ex 2921 19 99 | 75 | Octadecylamine (CAS RN 124-30-1) | 1.1.-31.12. | 400 tonnes | 0 % |
| 09.2649 | ex 2921 29 00 | 60 | Bis(2-dimethylaminoethyl)(methyl)amine (CAS RN 3030-47-5) | 1.1.-31.12. | 1 700 tonnes | 0 % |
| 09.2682 | ex 2921 41 00 | 10 | Aniline (CAS RN 62-53-3) with a purity by weight of at least 99 % | 1.1.-31.12. | 150 000 tonnes | 0 % |
| 09.2617 | ex 2921 42 00 | 89 | 4-Fluoro-N-(1-methylethyl)benzeneamine (CAS RN 70441-63-3) | 1.1.-31.12. | 500 tonnes | 0 % |
| 09.2582 | ex 2921 43 00 | 80 | 2-Methylaniline (CAS RN 95-53-4) with a purity by weight of at least 99 % | 1.7.-31.12. | 1 999 tonnes | 2 % |
| 09.2602 | ex 2921 51 19 | 10 | O-Phenylenediamine (CAS RN 95-54-5) | 1.1.-31.12. | 1 800 tonnes | 0 % |
| 09.2730 | ex 2921 59 90 | 85 | 4,4'-Methanediyl dianiline (CAS RN 101-77-9) with a purity by weight of at least 97 %, in the form of granules, for use in the manufacture of prepolymers (2) | 1.7.-31.12. | 100 tonnes | 2 % |
| 09.2591 | ex 2922 41 00 | 10 | L-Lysine hydrochloride (CAS RN 657-27-2) | 1.1.-31.12. | 445 000 tonnes | 0 % |
| 09.2592 | ex 2922 50 00 | 25 | L-Threonine (CAS RN 72-19-5) | 1.1.-31.12. | 166 000 tonnes | 0 % |
| 09.2854 | ex 2924 19 00 | 85 | 3-iodoprop-2-yn-1-yl butylcarbamate (CAS RN 55406-53-6) | 1.1.-31.12. | 250 tonnes | 0 % |
| 09.2874 | ex 2924 29 70 | 87 | Paracetamol (INN) (CAS RN 103-90-2) | 1.1.-31.12. | 20 000 tonnes | 0 % |

| Order number | CN code | TARIC | Description | Quota period | Quota volume | Quota duty (%) |
|--------------|---------------|-------|---------------------------------------------------------------------------------------------------------------------------------------------------|--------------|-----------------|----------------|
| 09.2742 | ex 2926 10 00 | 10 | Acrylonitrile (CAS RN 107-13-1), for use in the manufacture of goods of Chapter 55 and Heading 6815 ⁽²⁾ | 1.1.-31.12. | 60 000 tonnes | 0 % |
| 09.2583 | ex 2926 10 00 | 20 | Acrylonitrile (CAS RN 107-13-1), for use in the manufacture of goods of Headings 2921, 2924, 3906 and 4002 ⁽²⁾ | 1.7.-31.12. | 20 000 tonnes | 0 % |
| 09.2856 | ex 2926 90 70 | 84 | 2-Nitro-4(trifluoromethyl)benzotrile (CAS RN 778-94-9) | 1.1.-31.12. | 900 tonnes | 0 % |
| 09.2708 | ex 2928 00 90 | 15 | Monomethylhydrazine (CAS RN 60-34-4) in the form of an aqueous solution with a content by weight of monomethylhydrazine of 40 % (\pm 5 %) | 1.1.-31.12. | 900 tonnes | 0 % |
| 09.2581 | ex 2929 10 00 | 25 | 1,5-Naphthylene diisocyanate (CAS RN 3173-72-6) with a purity by weight of at least 90 % | 1.7.-31.12. | 205 tonnes | 0 % |
| 09.2685 | ex 2929 90 00 | 30 | Nitroguanidine (CAS RN 556-88-7) | 1.1.-31.12. | 6 500 tonnes | 0 % |
| 09.2597 | ex 2930 90 98 | 94 | Bis[3-(triethoxysilyl)propyl]disulphide (CAS RN 56706-10-6) | 1.1.-31.12. | 6 000 tonnes | 0 % |
| 09.2596 | ex 2930 90 98 | 96 | 2-Chloro-4-(methylsulphonyl)-3-((2,2,2-trifluoroethoxy)methyl) benzoic acid (CAS RN 120100-77-8) | 1.1.-31.12. | 300 tonnes | 0 % |
| 09.2580 | ex 2931 90 00 | 75 | Hexadecyltrimethoxysilane (CAS RN 16415-12-6) with a purity by weight of at least 95 %, for use in the manufacture of polyethylene ⁽²⁾ | 1.7.-31.12. | 83 tonnes | 0 % |
| 09.2842 | 2932 12 00 | | 2-Furaldehyde (furfuraldehyde) | 1.1.-31.12. | 10 000 tonnes | 0 % |
| 09.2955 | ex 2932 19 00 | 60 | Flurtamone (ISO) (CAS RN 96525-23-4) | 1.1.-31.12. | 300 tonnes | 0 % |
| 09.2696 | ex 2932 20 90 | 25 | Decan-5-olide (CAS RN 705-86-2) | 1.1.-31.12. | 6 000 kilograms | 0 % |
| 09.2697 | ex 2932 20 90 | 30 | Dodecan-5-olide (CAS RN 713-95-1) | 1.1.-31.12. | 6 000 kilograms | 0 % |
| 09.2812 | ex 2932 20 90 | 77 | Hexan-6-olide (CAS RN 502-44-3) | 1.1.-31.12. | 4 000 tonnes | 0 % |
| 09.2858 | 2932 93 00 | | Piperonal (CAS RN 120-57-0) | 1.1.-31.12. | 220 tonnes | 0 % |
| 09.2673 | ex 2933 39 99 | 43 | 2,2,6,6-Tetramethylpiperidin-4-ol (CAS RN 2403-88-5) | 1.1.-31.12. | 1 000 tonnes | 0 % |
| 09.2674 | ex 2933 39 99 | 44 | Chlorpyrifos (ISO) (CAS RN 2921-88-2) | 1.1.-31.12. | 9 000 tonnes | 0 % |
| 09.2880 | ex 2933 59 95 | 39 | Ibrutinib (INN) (CAS RN 936563-96-1) | 1.1.-31.12. | 5 tonnes | 0 % |
| 09.2860 | ex 2933 69 80 | 30 | 1,3,5-Tris[3-(dimethylamino)propyl]hexahydro-1,3,5-triazine (CAS RN 15875-13-5) | 1.1.-31.12. | 600 tonnes | 0 % |
| 09.2595 | ex 2933 99 80 | 49 | 1,4,7,10-Tetraazacyclododecane (CAS RN 294-90-6) | 1.1.-31.12. | 40 tonnes | 0 % |
| 09.2658 | ex 2933 99 80 | 73 | 5-(Acetoacetyl amino)benzimidazolone (CAS RN 26576-46-5) | 1.1.-31.12. | 400 tonnes | 0 % |

| Order number | CN code | TARIC | Description | Quota period | Quota volume | Quota duty (%) |
|--------------|---------------|-------|--------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|--------------|------------------|----------------|
| 09.2593 | ex 2934 99 90 | 67 | 5-Chlorothiophene-2-carboxylic acid (CAS RN 24065-33-6) | 1.1.-31.12. | 45 000 kilograms | 0 % |
| 09.2675 | ex 2935 90 90 | 79 | 4-[[[2-Methoxybenzoyl]amino]sulfonyl]benzoyl chloride (CAS RN 816431-72-8) | 1.1.-31.12. | 45 000 tonnes | 0 % |
| 09.2710 | ex 2935 90 90 | 91 | 2,4,4-Trimethylpentan-2-aminium (3R,5S,6E)-7-[2-[(ethylsulfonyl)amino]-4-(4-fluorophenyl)-6-(propan-2-yl)pyrimidin-5-yl]-3,5-dihydroxyhept-6-enoate (CAS RN 917805-85-7) | 1.1.-31.12. | 5 000 kilograms | 0 % |
| 09.2945 | ex 2940 00 00 | 20 | D-Xylose (CAS RN 58-86-6) | 1.1.-31.12. | 400 tonnes | 0 % |
| 09.2686 | ex 3204 11 00 | 75 | Colourant C.I. Disperse Yellow 54 (CAS RN 7576-65-0) and preparations based thereon with a colourant C.I. Disperse Yellow 54 content of at least 99 % by weight | 1.1.-31.12. | 250 tonnes | 0 % |
| 09.2676 | ex 3204 17 00 | 14 | Preparations based on colourant C.I. Pigment Red 48:2 (CAS RN 7023-61-2) with a content thereof of at least 60 % but less than 85 % by weight | 1.1.-31.12. | 50 tonnes | 0 % |
| 09.2698 | ex 3204 17 00 | 30 | Colourant C.I. Pigment Red 4 (CAS RN 2814-77-9) and preparations based thereon with a colourant C.I. Pigment Red 4 content of at least 60 % by weight | 1.1.-31.12. | 150 tonnes | 0 % |
| 09.2659 | ex 3802 90 00 | 19 | Soda flux calcinated diatomaceous earth | 1.1.-31.12. | 35 000 tonnes | 0 % |
| 09.2908 | ex 3804 00 00 | 10 | Sodium lignosulphonate (CAS RN 8061-51-6) | 1.1.-31.12. | 40 000 tonnes | 0 % |
| 09.2889 | 3805 10 90 | | Sulphate turpentine | 1.1.-31.12. | 25 000 tonnes | 0 % |
| 09.2935 | ex 3806 10 00 | 10 | Rosin and resin acids obtained from fresh oleoresins | 1.1.-31.12. | 280 000 tonnes | 0 % |
| 09.2832 | ex 3808 92 90 | 40 | Preparation containing at least 38 % but not more than 50 % by weight of pyrrithione zinc (INN) (CAS RN 13463-41-7) in an aqueous dispersion | 1.1.-31.12. | 500 tonnes | 0 % |
| 09.2876 | ex 3811 29 00 | 55 | Additives consisting of reaction products of diphenylamine and branched nonenes containing by weight: — at least 28 % but not more than 55 % of 4-monononyldiphenylamine, — at least 45 % but not more than 65 % of 4,4'-dinonyldiphenylamine, and — not more than 5 % of 2,4-dinonyldiphenylamine and 2,4'-dinonyldiphenylamine, used for the manufacture of lubricating oils (?) | 1.1.-31.12. | 900 tonnes | 0 % |
| 09.2814 | ex 3815 90 90 | 76 | Catalyst consisting of titanium dioxide and tungsten trioxide | 1.1.-31.12. | 3 000 tonnes | 0 % |
| 09.2820 | ex 3824 79 00 | 10 | Mixtures containing by weight: — at least 60 % but not more than 90 % of 2-chloropropene (CAS RN 557-98-2), — at least 8 % but not more than 14 % of (Z)-1-chloropropene (CAS RN 16136-84-8), — at least 5 % but not more than 23 % of 2-chloropropane (CAS RN 75-29-6), — not more than 6 % of 3-chloropropene (CAS RN 107-05-1), and — not more than 1 % of ethyl chloride (CAS RN 75-00-3) | 1.1.-31.12. | 6 000 tonnes | 0 % |

| Order number | CN code | TARIC | Description | Quota period | Quota volume | Quota duty (%) |
|--------------|---------------|-------|--------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|--------------|---------------|----------------|
| 09.2644 | ex 3824 99 92 | 77 | Preparation containing by weight: — at least 55 % but not more than 78 % of dimethyl glutarate (CAS RN 1119-40-0), — at least 10 % but not more than 30 % of dimethyl adipate (CAS RN 627-93-0), and — not more than 35 % of dimethyl succinate (CAS RN 106-65-0) | 1.1.-31.12. | 10 000 tonnes | 0 % |
| 09.2681 | ex 3824 99 92 | 85 | Mixture of bis[3-(triethoxysilyl)propyl]sulphides (CAS RN 211519-85-6) | 1.1.-31.12. | 9 000 tonnes | 0 % |
| 09.2650 | ex 3824 99 92 | 87 | Acetophenone (CAS RN 98-86-2) with a purity by weight of at least 60 % but not more than 90 % | 1.1.-31.12. | 2 000 tonnes | 0 % |
| 09.2888 | ex 3824 99 92 | 89 | Mixture of tertiary alkyldimethyl amines containing by weight: — at least 60 % but not more than 80 % of dodecyldimethylamine (CAS RN 112-18-5), and — at least 20 % but not more than 30 % of dimethyl(tetradecyl)amine (CAS RN 112-75-4) | 1.1.-31.12. | 25 000 tonnes | 0 % |
| 09.2829 | ex 3824 99 93 | 43 | Solid extract of the residual, insoluble in aliphatic solvents, obtained during the extraction of rosin from wood, with the following characteristics: — a resin acid content not exceeding 30 % by weight, — an acid number not exceeding 110, and — a melting point of at least 100 °C | 1.1.-31.12. | 1 600 tonnes | 0 % |
| 09.2907 | ex 3824 99 93 | 67 | Mixture of phytosterols, in the form of powder, containing by weight: — at least 75 % of sterols, — not more than 25 % of stanols, for use in the manufacture of stanols/sterols or stanol/sterol esters (?) | 1.1.-31.12. | 2 500 tonnes | 0 % |
| 09.2639 | 3905 30 00 | | Poly(vinyl alcohol), whether or not containing unhydrolysed acetate groups | 1.1.-31.12. | 15 000 tonnes | 0 % |
| 09.2671 | ex 3905 99 90 | 81 | Poly(vinyl butyral)(CAS RN 63148-65-2): — containing by weight at least 17,5 % but not more than 20 %, of hydroxyl groups, and — with a median particle size (D50) of more than 0,6 mm | 1.1.-31.12. | 12 500 tonnes | 0 % |
| 09.2846 | ex 3907 40 00 | 25 | Polymer blend of polycarbonate and poly(methyl methacrylate) with a polycarbonate content of at least 98,5 % by weight, in the form of pellets or granules, with a luminous transmittance of at least 88,5 %, measured using a test sample with a thickness of 4 mm at a wavelength of $\lambda = 400$ nm (according to ISO 13468-2) | 1.1.-31.12. | 2 000 tonnes | 0 % |
| 09.2723 | ex 3911 90 19 | 10 | Poly(oxy-1,4-phenylenesulphonyl-1,4-phenyleneoxy-4,4'-biphenylene) | 1.1.-31.12. | 5 000 tonnes | 0 % |
| 09.2816 | ex 3912 11 00 | 20 | Cellulose acetate flakes | 1.1.-31.12. | 75 000 tonnes | 0 % |
| 09.2864 | ex 3913 10 00 | 10 | Sodium alginate, extracted from brown seaweed (CAS RN 9005-38-3) | 1.1.-31.12. | 10 000 tonnes | 0 % |

| Order number | CN code | TARIC | Description | Quota period | Quota volume | Quota duty (%) |
|--------------|--------------------------------|----------|-----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|--------------|-----------------------|----------------|
| 09.2641 | ex 3913 90 00 | 87 | Sodium hyaluronate, non-sterile, with: — a weight average molecular weight (M_w) of not more than 900 000, — an endotoxin level of not more than 0,008 Endotoxin units (EU)/mg, — an ethanol content of not more than 1 % by weight, — an isopropanol content of not more than 0,5 % by weight | 1.1.-31.12. | 200 kilograms | 0 % |
| 09.2661 | ex 3920 51 00 | 50 | Sheets of polymethylmethacrylate conforming to standards: — EN 4364 (MIL-P-5425E) and DTD5592A, or — EN 4365 (MIL-P-8184) and DTD5592A | 1.1.-31.12. | 100 tonnes | 0 % |
| 09.2645 | ex 3921 14 00 | 20 | Cellular block of regenerated cellulose, impregnated with water containing magnesium chloride and quaternary ammonium compounds, measuring 100 cm (\pm 10 cm) x 100 cm (\pm 10 cm) x 40 cm (\pm 5 cm) | 1.1.-31.12. | 1 700 tonnes | 0 % |
| 09.2848 | ex 5505 10 10 | 10 | Waste of synthetic fibres (including noils, yarn waste, and garnetted stock) of nylon or other polyamides (PA6 and PA66) | 1.1.-31.12. | 10 000 tonnes | 0 % |
| 09.2721 | ex 5906 99 90 | 20 | Woven and laminated rubberised textile fabric with the following characteristics: — three layers, — one outer layer consists of acrylic fabric, — the other outer layer consists of polyester fabric, — the middle layer consists of chlorobutyl rubber, — the middle layer has a weight of at least 452 g/m ² but not more than 569 g/m ² , — the textile fabric has a total weight of at least 952 g/m ² but not more than 1159 g/m ² , and — the textile fabric has a total thickness of at least 0,8 mm but not more than 4 mm, used for the manufacture of the retractable roof of motor vehicles (2) | 1.1.-31.12. | 375 000 square metres | 0 % |
| 09.2594 | ex 6909 19 00 | 55 | Ceramic-carbon absorption cartridge with the following characteristics: — extruded fired ceramic bound multicellular cylindrical structure, — at least 10 % by weight but not more than 30 % by weight of activated carbon, — at least 70 % by weight but not more than 90 % by weight of ceramic binder, — a diameter of at least 29 mm but not more than 41mm, — a length of not more than 150 mm, — fired at a temperature of at least 800 °C, and — for vapours adsorption of a kind used for assembly in fuel vapours absorbers in fuel systems of motor vehicles | 1.1.-31.12. | 1 000 000 pieces | 0 % |
| 09.2866 | ex 7019 12 00 ex 7019 12 00 | 06 26 | S glass stratifils (rovings): — composed of continuous glass filaments of 9 μ m (\pm 0,5 μ m), — measuring at least 200 tex but not more than 680 tex, — not containing any calcium oxide, and — with a breaking strength of more than 3 550 MPa determined by ASTM D2343-09, for use in the manufacture of aeronautics (2) | 1.1.-31.12. | 1 000 tonnes | 0 % |

| Order number | CN code | TARIC | Description | Quota period | Quota volume | Quota duty (%) |
|--------------|--------------------------------|----------|------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|--------------|-------------------------|----------------|
| 09.2628 | ex 7019 52 00 | 10 | Glass web woven from glass fibre coated in plastic, of a weight of 120 g/m ² (\pm 10 g/m ²), of a type used in rolling insect screens with fixed frames | 1.1.-31.12. | 3 000 000 square metres | 0 % |
| 09.2799 | ex 7202 49 90 | 10 | Ferro-chromium containing at least 1,5 % but not more than 4 % by weight of carbon and not more than 70 % of chromium | 1.1.-31.12. | 50 000 tonnes | 0 % |
| 09.2652 | ex 7409 11 00 ex 7410 11 00 | 30 40 | Refined copper foil and strips, electrolytically manufactured, with a thickness of at least 0,015 mm | 1.1.-31.12. | 1 020 tonnes | 0 % |
| 09.2734 | ex 7409 19 00 | 20 | Plates or sheets consisting of: — a layer of a silicon nitride ceramic with a thickness of at least 0,32 mm (\pm 0,1 mm) but not more than 1,0 mm (\pm 0,1 mm), — covered on both sides with a foil of refined copper with a thickness of 0,8 mm (\pm 0,1 mm), and — on one side partially covered with a coating of silver | 1.1.-31.12. | 7 000 000 pieces | 0 % |
| 09.2662 | ex 7410 21 00 | 55 | Plates: — consisting of at least one layer of fibreglass fabric impregnated with epoxide resin, — covered on one or both sides with copper foil with a thickness of not more than 0,15 mm, — with a dielectric constant (DK) of less than 5,4 at 1 MHz, as measured according to IPC-TM-650 2.5.5.2, — with a loss tangent of less than 0,035 at 1 MHz, as measured according to IPC-TM-650 2.5.5.2, — with a comparative tracking index (CTI) of at least 600 | 1.1.-31.12. | 80 000 square metres | 0 % |
| 09.2834 | ex 7604 29 10 | 20 | Aluminium alloy rods with a diameter of at least 200 mm but not more than 300 mm | 1.1.-31.12. | 2 000 tonnes | 0 % |
| 09.2835 | ex 7604 29 10 | 30 | Aluminium alloy rods with a diameter of at least 300,1 mm but not more than 533,4 mm | 1.1.-31.12. | 1 000 tonnes | 0 % |
| 09.2736 | ex 7607 11 90 | 83 | Aluminium and magnesium alloy strip or foil: — of an alloy conforming to standards 5182-H19 or 5052-H19, — in rolls with an outside diameter of at least 1 250 mm but not more than 1 350 mm, — of a thickness (tolerance $-0,006$ mm) of 0,15 mm, 0,16 mm, 0,18 mm or 0,20 mm, — of a width (tolerance $\pm 0,3$ mm) of 12,5 mm, 15,0 mm, 16,0 mm, 25,0 mm, 35,0 mm, 50,0 mm or 356 mm, — with a camber tolerance of not more than 0,4 mm/750 mm, — of a flatness measurement: I-unit ± 4 , — with a tensile strength of more than (5182-H19) 365 MPa or (5052-H19) 320 MPa, and — of an elongation A50 of more than (5182-H19) 3 % or (5052-H19) 2,5 %, for use in the manufacture of slats for blinds (?) | 1.1.-31.12. | 600 tonnes | 0 % |

| Order number | CN code | TARIC | Description | Quota period | Quota volume | Quota duty (%) |
|--------------|--------------------------------|----------|-----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|--------------|------------------|----------------|
| 09.2722 | 8104 11 00 | | Unwrought magnesium, containing at least 99,8 % by weight of magnesium | 1.1.-31.12. | 120 000 tonnes | 0 % |
| 09.2840 | ex 8104 30 00 | 20 | Magnesium powder: — of a purity by weight of at least 98 % but not more than 99,5 %, and — with a particle size of at least 0,2 mm but not more than 0,8 mm | 1.1.-31.12. | 2 000 tonnes | 0 % |
| 09.2629 | ex 8302 49 00 | 91 | Aluminium telescopic handle for use in the manufacture of luggage (²) | 1.1.-31.12. | 1 500 000 pieces | 0 % |
| 09.2720 | ex 8413 91 00 | 50 | Pump head for two cylinder high pressure pump made of forged steel, with: — milled threaded fittings with a diameter of at least 10 mm but not more than 36,8 mm, and — drilled fuel channels with a diameter of at least 3,5 mm but not more than 10 mm, of a kind used in diesel injection systems | 1.1.-31.12. | 65 000 pieces | 0 % |
| 09.2738 | ex 8482 99 00 | 30 | Brass cages with the following characteristics: — continuously or centrifugally cast, — turned, — containing by weight at least 35 % but not more than 38 % of zinc, — containing by weight at least 0,75 % but not more than 1,25 % of lead, — containing by weight at least 1,0 % but not more than 1,4 % of aluminium, and — with a tensile strength of at least 415 Pa, of a kind used for the manufacture of ball bearings | 1.1.-31.12. | 50 000 pieces | 0 % |
| 09.2763 | ex 8501 40 20 ex 8501 40 80 | 40 30 | Electric AC commutator motor, single-phase, with an output of at least 250 W, an input power of at least 700 W but not more than 2 700 W, an external diameter of more than 120 mm ($\pm 0,2$ mm) but not more than 135 mm ($\pm 0,2$ mm), a rated speed of more than 30 000 rpm but not more than 50 000 rpm, equipped with air-inducting ventilator, for use in the manufacture of vacuum cleaners (²) | 1.1.-31.12 | 2 000 000 pieces | 0 % |
| 09.2588 | ex 8529 90 92 | 56 | LCD display with: — a touch panel, — at least one printed circuit board for simple slave device pixel addressing (Timing Controller function) and touch control, with EEPROM (Electrically Erasable Programmable Read-Only Memory) for display settings, — a diagonal screen measurement of at least 15 cm but not more than 21 cm, — a backlight, — a LVDS (Low Voltage Differential Signalling) and a power supply connector, — a viewing angle of at least 70 degrees, and — a luminance of at least 715 cd/m², for use in the manufacture of motor vehicles of Chapter 87 (²) | 1.7.-31.12. | 450 000 pieces | 0 % |

| Order number | CN code | TARIC | Description | Quota period | Quota volume | Quota duty (%) |
|--------------|-------------------------------------------------|----------------|-----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|--------------|--------------------|----------------|
| 09.2672 | ex 8529 90 92 ex 9405 40 39 | 75 70 | Printed circuit board with LED diodes: — whether or not equipped with prisms/lenses, and — whether or not fitted with connector(s) for the manufacture of backlight units for goods of Heading 8528 ^(?) | 1.1.-31.12. | 115 000 000 pieces | 0 % |
| 09.2003 | ex 8543 70 90 | 63 | Voltage controlled frequency generator, consisting of active and passive elements mounted on a printed circuit, contained in a housing with dimensions of not more than 30 mm × 30 mm | 1.1.-31.12. | 1 400 000 pieces | 0 % |
| 09.2910 | ex 8708 99 97 | 75 | Aluminium alloy support bracket, with mounting holes, whether or not with fixation nuts, for indirect connection of the gearbox to the car body for use in the manufacture of goods of Chapter 87 ^(?) | 1.1.-31.12. | 200 000 pieces | 0 % |
| 09.2694 | ex 8714 10 90 | 30 | Axle clamps, housings, fork bridges and clamping pieces, of aluminium alloy of a kind used for motor bikes | 1.1.-31.12. | 1 000 000 pieces | 0 % |
| 09.2668 | ex 8714 91 10 ex 8714 91 10 ex 8714 91 10 | 21 31 75 | Bicycle frame, constructed from carbon fibres and artificial resin, for use in the manufacture of bicycles (including electric bicycles) ^(?) | 1.7.-31.12. | 250 000 pieces | 0 % |
| 09.2589 | ex 8714 91 10 ex 8714 91 10 ex 8714 91 10 | 23 33 70 | Frame, constructed from aluminium or aluminium and carbon fibres, for the use in the manufacture of bicycles (including electric bicycles) ^(?) | 1.1.-31.12. | 8 000 000 pieces | 0 % |
| 09.2631 | ex 9001 90 00 | 80 | Unmounted glass lenses, prisms and cemented elements for use in the manufacture or repair of goods of CN codes 9002, 9005, 9013 10 and 9015 ^(?) | 1.1.-31.12. | 5 000 000 pieces | 0 % |

⁽¹⁾ However, the suspension of tariff duties does not apply where the processing is carried out by retail or catering undertakings.

⁽²⁾ Suspension of duties is subject to end-use customs supervision in accordance with Article 254 of Regulation (EU) No 952/2013 of the European Parliament and of the Council of 9 October 2013 laying down the Union Customs Code (OJ L 269, 10.10.2013, p. 1).

⁽³⁾ Only the *ad valorem* duty is suspended. The specific duty continues to apply.